

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S23 | 422 | ((schedul\$5 near (queue or buffer\$3 or fifo)) same (indicat\$5)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/23 15:04 |
| S24 | 34 | ((schedul\$5 near (queue or buffer\$3 or fifo)) same (full or empty) same (indicat\$5)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/23 15:25 |
| S25 | 51 | ((schedul\$5 near (queue or buffer\$3 or fifo)) same (full or empty) same (flag or bit)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/23 16:21 |
| S26 | 26 | ((schedul\$5 and (queue or buffer\$3 or fifo))) .ti. and ((full or empty) same (flag or bit or indicat\$6)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:02 |
| S27 | 2 | "6481251".pn. and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:03 |
| S28 | 1581 | ((((queue or buffer of fifo)) same ((flag or indicat\$5) near empty)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:42 |
| S29 | 45 | (((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) same flow) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:47 |
| S30 | 17 | (((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) near data) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:54 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S31 | 1 | (((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) near search\$5) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:54 |
| S32 | 2 | (((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) same search\$5) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:57 |
| S33 | 4 | (((((queue or buffer of fifo)) near ((flag or indicat\$5) near empty)) same format) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:58 |
| S34 | 328 | (((((queue or buffer of fifo)) same ((flag or indicat\$5) same empty)) same format) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 09:59 |
| S35 | 11 | (((((queue or buffer of fifo)) same ((flag or indicat\$5) same empty)) same format same search\$5) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:00 |
| S36 | 27 | (((((queue or buffer of fifo)) same ((flag or indicat\$5) near empty near bit))) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:14 |
| S37 | 73 | (detect\$5 near (buffer or memory or fifo or queue) near empty) and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:15 |
| S38 | 33 | (detect\$5 near (buffer or memory or fifo or queue) near empty) and flow and (@rlad<"20011101" or @ad<"20011101")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:17 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S39 | 1 | ((detect\$5 near (buffer or memory or fifo or queue) near empty) same search\$6) and flow and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:17 |
| S40 | 1 | ((detect\$5 near (buffer or memory or fifo or queue) near empty) same search\$6) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:31 |
| S41 | 420 | (search\$5 same (memory or buffer or queue or fifo) same (indicat\$5 or flag) same (empty or (no adj data))) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:36 |
| S42 | 34 | (search\$5 same (memory or buffer or queue or fifo) same ((indicat\$5 or flag) near (empty or (no adj data)))) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:37 |
| S43 | 860 | ((buffer or memory or fifo or queue) near empty near (flag or indica\$6 or field or bit)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:39 |
| S44 | 418 | ((buffer or memory or fifo or queue) adj empty adj (flag or indica\$6 or field or bit)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:39 |
| S45 | 418 | ((buffer or memory or fifo or queue) adj empty adj (flag or indica\$6 or field or bit)) and (@rlad<"20011101" or @ad<"20011101") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/24 10:39 |